



Name	Deutsch	/	Latin	verschult	Größe	Notizen
Ahorn	Acer					
	campestre			2xv. oB.	100-125	
				2xv. oB.	125-150	
Felsenbirne	Amelanchier					
	laevis			3xv.m.B.	80-100	
				3xv.m.B.	100-125	
	lamarckii			2xv.	60-100	
				2xv.	100-150	
			Sol. 5-7	3xv.m.B.	125-150	
			Sol. 5-7	3xv.m.B.	150-200	
			Sol. 8-12	3xv.m.B.	150-200	
Berberitze	Berberis					
	thunbergii thunbergii Atropurpurea			2xv.	40-60	
				2xv.	60-100	
Buchsbaum	Buxus					
	semperv. arborescens			Co	20-25	
	Handsworthiensis			2xv. mB.	30-35	
				3xv.m.B.	80-100	
				4xv.m.B.	100-125	
Zierquitte	Chaenomeles					
	japonica			2xv.	60-100	
Hartriegel	Cornus					
	• alba Argenteomarginata			2xv.	60-100	
	• alba Sibirica			2xv.	100-150	
	• alba Spaethii			3xv.m.B.	125-150	
	• stolonifera Flaviramea			3xv.m.B.	150-200	
				3xv.m.B.	200-250	
	mas			2xv.	40-60	
				2xv.	60-100	
				2xv.	100-150	
				3xv.m.B.	100-125	
				3xv.m.B.	125-150	
	sanguinea			2xv.	60-100	
				2xv.	100-150	
Haselnuß	Corylus					
	avellana			2xv.	60-100	
				2xv.	100-150	
				3xv.m.B.	125-150	
				3xv.m.B.	150-200	
	avellana Contorta			3xv mB.	80-100	
				3xv mB.	100-125	
Mispel	Cotoneaster					
	• salicifolius varg. floccosus			2xv.m.B.	100-125	
	• watereri Cornubia			3xv.m.B.	125-150	
	• watereri Pendulus			3xv.m.B.	150-175	
				4xv.m.B.	300-400	
Weißdorn	Crataegus					
	monogyna			2xv.	60-100	
				2xv.	100-150	
				3xv. mB.	150-200	
Blütendeutzie	Deutzia					
	• Monte Rose			2xv.	60-80	
	• rosea			2xv.	80-100	
				3xv.m.B.	125-150	
				3xv.m.B.	150-200	
	scabra Plena			2xv.	60-100	
				2xv.	100-150	
				3xv.m.B.	150-200	
				3xv.m.B.	200-250	
Pfaffenhütchen	Euonymus					
	alatus, planipes			3xv.m.B.	80-100	
				3xv.m.B.	100-125	
	europaeus			2xv.	60-100	
				2xv.	100-150	
Forsythie	Forsythia					
	x Goldzauber			2xv.	60-100	
				2xv.	100-150	
				3xv.m.B.	150-175	
				3xv.m.B.	175-200	
				3xv.m.B.	200-250	



Name	Deutsch / Latein	verschult	Größe	Notizen
Eibisch	Hibiscus			
	syriacus	3xv.m.B.	60-80	
	Hybriden in Sorten	3xv.m.B.	80-100	
		3xv.m.B.	100-125	
		3xv.m.B.	125-150	
Sanddorn	Hippophaea			
	rhamnoides	2xv.	60-100	
		2xv.	100-150	
Sternstrauch	Kolkwitzia			
	amabilis	2xv.	40-60	
		2xv.	60-100	
		3xv.m.B.	100-125	
		3xv.m.B.	125-150	
Heckenkirsche	Lonicera			
	xylosteum	2xv.	60-100	
		2xv.	100-150	
Magnolie	Magnolia			
	soulangiana	4xv.m.B.	150-175	
		4xv.m.B.	175-200	
Mahonie	Mahonia			
	aquifolium	2xv.	30-40	
		2xv.	40-60	
		2xv.m.B.	30-40	
		2xv.m.B.	40-60	
Pfeifenstrauch-Falscher Jasmin	Philadelphus			
	• coronarius	2xv.	60-100	
	• Schneesturm	2xv.	100-150	
	• Virginalis	3xv.m.B.	150-200	
	•	3xv.m.B.	200-250	
Schlehe	Prunus			
	spinosa	2xv.	60-100	
		2xv.	100-150	
Zierjohannisbeere	Ribes			
	alpinum Schmidt	2xv.	40-60	
		2xv.	60-100	
	sang. King Edward VII.	2xv.	60-100	
		2xv.	100-150	
Wildrosen	Rosa			
	• canina	2xv.	60-100	
	• glauca	2xv.	100-150	
	• pimpinellifolia			
	• rubiginosa			
	nitida	2xv.	30-40	
		2xv.	40-60	
	rugosa	2xv.	40-60	
		2xv.	60-100	
	rugosa Alba	2xv.	40-60	
		2xv.	60-100	



Name	Deutsch	/	Latein	verschult	Größe	Notizen	
Weide			Salix				
			• purpurea Nana	2xv.	40-60		
			• rosmarinifolia	2xv.	60-100		
Holunder			Sambucus				
			nigra	2xv.	60-100		
Spieren			Spiraea				
			billardii Triumphans	2xv.	60-100		
				2xv.	100-150		
				3xv.mB.	150-200		
				3xv.mB.	200-250		
			cinerea Grefsheim	2xv.	40-60		
				2xv.	60-100		
				3xv.mB.	100-125		
				3xv.mB.	125-150		
				3xv.mB.	150-175		
			thunbergii	2xv.	30-40		
				2xv.	40-60		
				3xv.mB.	80-100		
			vanhouttei	2xv.	60-100		
				2xv.	100-150		
	3xv.mB.	125-150					
	3xv.mB.	150-200					
	3xv.mB.	200-250					
Funkie			Stranvesia				
			davidiana	2xv.m.B.	40-60		
				2xv.m.B.	60-80		
				2xv.m.B.	80-100		
			3xv.m.B.	100-125			
Schneebeere			Symphoricarpos				
			• albus laevigatus	2xv.	60-100		
			• Magic Berry	2xv.	100-150		
				3xv.mB.	125-150		
			3xv.mB.	150-200			
Flieder			Syringa				
			• reflexa	2xv.	60-100		
			• swegiflexa	2xv.	100-150		
			• chinensis saugiana	3xv.mB.	125-150		
			microphylla Superba	2xv.	40-60		
				2xv.	60-100		
				3xv.mB.	100-125		
			vulgare Veredlungen:				
			• Charles Joly	2xv.	3Trb.		
			• Ludwig Späth	2xv.	5Trb.		
			• Michel Buchner	2xv.	8Trb.		
			• Mme.Lemoine	3xv.mB.	100-125		
			• Primose	3xv.mB.	125-150		
				3xv.m.B.	150-175		
	3xv.m.B.	175-200					
Tamariske			Tamarix				
			• parviflora	2xv.	100-150		
Schneeball			Viburnum				
			bod.Dawn	3xv.mB.	150-175		
				4xv.mB.	175-200		
				4xv.mB.	200-250		
			• lantana	2xv.	60-100		
			• opulus	2xv.	100-150		
			opulus Roseum	2xv.3Trb	60-100		
				2xv.5Trb	100-150		
				3xv.mB.	150-200		
				3xv.mB.	200-250		
			Veredlungen:				
			• x burkwoodii	2xv.m.B.	60-70		
			• x carlcephalum	3xv.mB.	80-100		
• x carlesii	3xv.mB.	100-125					
• plicatum Mariesii	3xv.mB.	125-150					
• plicatum tomentosum							
rhytidophyllum	3xv.mB.	80-100					
	3xv.mB.	100-125					
	3xv.mB.	125-150					
Weigelie - Glockenstrauch			Weigela				
			• Hybr.Boskoop Glory	2xv.	60-100		



Blüten- u. Wildgehölze 18/19

- Laubgehölze -



Name	Deutsch	/	Latein	verschult	Größe	Notizen
			<ul style="list-style-type: none">Hybr. Bristol Ruby	2xv.	100-150	
			<ul style="list-style-type: none">Hybr. Eva Rathke	3xv.m.B.	150-200	
			<ul style="list-style-type: none">Hybr. Red Prince	3xv.m.B.	200-250	
			<ul style="list-style-type: none">florida Nana Variegata	2xv.	40-60	
			<ul style="list-style-type: none">purpurea	2xv.	60-100	
				3xv.m.B.	100-125	