

# Sortimentsliste 18/19

## - Laubgehölze -



Name	verschult	Größe	Notizen
<b>Acer</b>			
campestre	2xv.oB.	100-125	
	2xv.oB.	125-150	
negundo			
	• Aureovarigatum	3xv.mB.	150-200
	• Flamingo	3xv.mB.	200-250
	• Varigatum		
platanoides	2xv.oB.	8-10	
	2xv.oB.	10-12	
	3xv.DB.	12-14	
	3xv.DB.	14-16	
platanoides Globosum	3xv.DB.	10-12	
	3xv.DB.	12-14	
	3xv.DB.	14-16	
	4xv.DB.	20-25	
	5xv.DB.	30-35	
<b>Aesculus</b>			
hippocastanum	2xv.oB.	8-10	
<b>Amelanchier</b>			
laevis	3xv.m.B.	80-100	
	3xv.m.B.	100-125	
lamarckii	2xv.	60-100	
	2xv.	100-150	
	Sol. 5-7	3xv.m.B.	125-150
	Sol. 5-7	3xv.m.B.	150-200
	Sol. 8-12	3xv.m.B.	150-200
<b>Berberis</b>			
thunbergii thunbergii Atropurpurea	2xv.	40-60	
	2xv.	60-100	
<b>Buxus</b>			
semperv. arborescens	Co	20-25	
	2xv.mB.	30-35	
• Handsworthiensis	3xv.m.B.	80-100	
	4xv.m.B.	100-125	
<b>Betula</b>			
pendula	3xv.m.B.	250-300	
	3xv.m.B.	300-350	
	3xv.m.B.	12-14	
	3xv.m.B.	14-16	
pendula Sorten: Tristis, Youngii, utilis	3xv.m.B.	200-250	
	3xv.m.B.	250-300	
pendula Youngii <i>Hochstamm 160-180-200cm</i>	3xv.m.B.	10-12	
	3xv.m.B.	12-14	
	3xv.m.B.	14-16	
	3xv.m.B.	16-18	
<b>Carpinus</b>			
Betulus gesch.gestäbte Heckenware	2xv.m.B.	100-125	
	2xv.m.B.	125-150	
	2xv.m.B.	150-175	
	2xv.m.B.	175-200	
	3xv.m.B.	200-225	
	3xv.m.B.	225-250	
	3xv.m.B.	300-350	
<b>Carpinus</b>			
betulus Fastigiata	3xv.m.B.	200-250	
	3xv.m.B.	250-300	
	4xv.m.B.	300-350	
	4xv.m.B.	350-400	
<b>Chaenomeles</b>			
japonica	2xv.	60-100	
<b>Cornus</b>			
• alba Argenteomarginata	2xv.	60-100	
	• alba Sibirica	2xv.	100-150
	• alba Spaethii	3xv.m.B.	125-150
	• stolonifera Flaviramea	3xv.m.B.	150-200
		3xv.m.B.	200-250

# Sortimentsliste 18/19

## - Laubgehölze -



Name	verschult	Größe	Notizen
<b>Cornus</b>			
mas	2xv. 2xv. 2xv. 3xv.m.B. 3xv.m.B.	40-60 60-100 100-150 100-125 125-150	
sanguinea	2xv. 2xv.	60-100 100-150	
<b>Corylus</b>			
avellana	2xv. 2xv. 3xv.m.B. 3xv.m.B.	60-100 100-150 125-150 150-200	
avellana Contorta	3xv.m.B. 3xv.m.B.	80-100 100-125	
<b>Cotoneaster</b>			
• salicifolius varg. floccosus	2xv.m.B.	100-125	
• watereri Cornubia	3xv.m.B.	125-150	
• watereri Pendulus	3xv.m.B.	150-175	
	4xv.m.B.	300-400	
<b>Crataegus</b>			
• x. lavallei Carrierei	2xv.	100-150	
• laevigata Pauls Scarlet	2xv.	8-10	
• monogyna Stricta	2xv.	10-12	
• prunifolia Splendens	3xv.DB. 3xv.DB. 3xv.DB.	10-12 12-14 14-16	
monogyna	2xv. 2xv. 2xv.	60-100 100-150 150-200	
<b>Deutzia</b>			
• Monte Rose	2xv.	60-80	
• rosea	2xv. 3xv.m.B. 3xv.m.B.	80-100 125-150 150-200	
scabra Plena	2xv. 2xv. 3xv.m.B. 3xv.m.B.	60-100 100-150 150-200 200-250	
<b>Euonymus</b>			
alatus	3xv.m.B. 3xv.m.B.	80-100 100-125	
<b>Euonymus</b>			
europaeus	2xv. 2xv.	60-100 100-150	
<b>Fagus</b>			
sylvatica	2xv. 2xv. 2xv.m.B. 2xv.m.B. 2xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B.	125-150 150-175 100-125 125-150 150-175 175-200 200-225 225-250 250-300	
sylvatica purpurea Sämlinge	2xv.m.B. 2xv.m.B. 3xv.m.B. 3xv.m.B.	125-150 150-175 175-200 200-225	
sylvatica Purpurea Pendula Kopfdl. Sweat Margret	3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B.	8-10 10-12 12-14 14-16	
sylvatica Veredlungen:	3xv.m.B.	100-125	
• Asplinifolia,	3xv.m.B.	125-150	
• Pendula	3xv.m.B.	150-175	
• Sweat Margret	3xv.m.B. 4xv.m.B. 4xv.m.B.	175-200 200-250 250-300	

# Sortimentsliste 18/19


## - Laubgehölze -



Name	verschult	Größe	Notizen
<b>Forsythia</b>			
	• x Goldzauber	2xv.	60-100
	• x Lynwood	2xv.	100-150
		3xv.m.B.	150-175
		3xv.m.B.	175-200
		3xv.m.B.	200-250
<b>Fraxinus</b>			
	excelsior Nana u. Pendula Hochstamm	3xv.m.B.	12-14
		3xv.m.B.	14-16
		3xv.D.B.	16-18
		3xv.D.B.	18-20
<b>Ginkgo</b>			
	biloba	4xv.m.B.	12-14
		4xv.m.B.	14-16
		4xv.m.B.	16-18
		4xv.m.B.	18-20
<b>Gleditsia</b>			
	triacanthos Sunbrust	3xv.m.B.	250-300
		3xv.m.B.	8-10
		3xv.m.B.	10-12
<b>Hibiscus</b>			
	syriacus Hybriden in Sorten	3xv.m.B.	60-80
		3xv.m.B.	80-100
		3xv.m.B.	100-125
		3xv.m.B.	125-150
		3xv.m.B.	150-200
<b>Hippophaea</b>			
	rhamnoides	2xv.	60-100
		2xv.	100-150
<b>Kolkwitzia</b>			
	amabilis	2xv.	40-60
		2xv.	60-100
		3xv.m.B.	100-125
		3xv.m.B.	125-150
		3xv.m.B.	150-200
<b>Laburnum</b>			
	waterer Vossii	3xv.m.B.	100-125
		3xv.m.B.	125-150
		3xv.m.B.	150-200
<b>Ligustrum</b>			
	vulgare Atrovirens	2xv.6Trb	60-100
		2xv.6Trb	100-150
		3xv.m.B.	125-150
		3xv.m.B.	175-200
<b>Liriodendron</b>			
	tulpifera	3xv.m.B.	125-150
		3xv.m.B.	200-250
		3xv.m.B.	14-16
		3xv.m.B.	16-18
<b>Liquidambar</b>			
	styraciflua	3xv.m.B.	125-150
		3xv.m.B.	150-175
		3xv.m.B.	175-200
		3xv.m.B.	200-250
		3xv.m.B.	250-300
		4xv.m.B.	12-14
		4xv.m.B.	14-16
		4xv.m.B.	16-18
<b>Lonicera</b>			
	xylosteum	2xv.	60-100
		2xv.	100-150
<b>Magnolia</b>			
	soulangiana	4xv.m.B.	150-175
		4xv.m.B.	175-200
	stellata	3xv.m.B.	80-100
		3xv.m.B.	100-125
	Susan	3xv.m.B.	125-150
		3xv.m.B.	150-175
		3xv.m.B.	175-200
<b>Mahonia</b>			
	aquifolium	2xv.	30-40
		2xv.	40-60
		2xv.m.B.	30-40
		2xv.m.B.	40-60
		2xv.m.B.	60-80

# Sortimentsliste 18/19

## - Laubgehölze -



Name	verschult	Größe	Notizen
<b>Mahonia</b>	aquifolium Apollo	2xv.m.B.	25-30
	bealei	2xv.m.B. 2xv.m.B.	40-60 60-80
<b>Malus Veredlg.</b>			
	<ul style="list-style-type: none"> <li>• Charlottae</li> <li>• Royalty</li> </ul>	2xv. 2xv.	60-100 100-150
<i>Ha+H Sorten nachfragen</i>	<ul style="list-style-type: none"> <li>• Hilleri</li> <li>• Liset</li> <li>• Profusion</li> </ul>	3xv.m.B. 3xv.m.B. 2xv.	150-175 175-200 h/H 6-8
<b>Malus Veredlg.</b>	<ul style="list-style-type: none"> <li>• Evereste</li> <li>• Wintergold</li> <li>• van Eseltine</li> <li>• Sargentii</li> </ul>	3xv.DB. 3xv.DB. 3xv.DB.	8-10 10-12 12-14
<b>Notofagus</b>			
	antarctica	3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B. 4xv.DB. 4xv.DB.	100-125 125-150 150-175 175-200 200-250 250-300
<b>Philadelphus</b>			
	<ul style="list-style-type: none"> <li>• coronarius</li> <li>• Schneesturm</li> <li>• Virginalis</li> <li>•</li> <li>• Dame Blanche</li> <li>• Erectus</li> </ul>	2xv. 2xv. 3xv.m.B. 3xv.m.B. 2xv. 2xv. 3xv.m.B. 3xv.m.B.	60-100 100-150 150-200 200-250 40-60 60-100 100-125 125-150
<b>Platanus</b>			
	acerifolia	2xv.  3xv.DB. 3xv.DB.	10-12 12-14 14-16 16-18
<b>Prunus</b>			
	cerasifera	2xv. 2xv. 3xv.DB. 3xv.DB. 3xv.DB. 4xv.DB. 4xv.DB. 3xv.DB. 3xv.DB. 3xv.DB.	100-150 150-200 150-200 200-250 250-300 300-350 350-400 8-10 10-12 12-14
	cistena	Co 10L Co 10L Halbstamm Co 13l	40-60 60-100 6-8
	laurocerasus Sorten:	2xv.m.B.	60-80
	<ul style="list-style-type: none"> <li>• Herbergii</li> <li>• Rotundifolia</li> <li>• Schipka.Macrophylla</li> <li>• Zabeliana</li> <li>• Reinvanii</li> </ul>	2xv.m.B. 3xv.m.B.	80-100 100-125
	laurocerases Otto Luyken	2xv.m.B. 2xv.m.B. 2xv.m.B. 2xv.m.B.	20-30 30-40 40-50 50-60
	<ul style="list-style-type: none"> <li>• avium Plena</li> <li>• serrulata Amanogawa</li> <li>• serrulata Kanzan</li> <li>• subhirtella Accolade</li> <li>• subhirtella Autumnalis</li> <li>• subhirtella Elfenreigen</li> </ul>	2xv. 2xv. 3xv.DB. 3xv.DB. 3xv.DB. 4xv.DB. 4xv.DB.	60-100 100-150 125-150 150-200 200-250 250-300 300-350

# Sortimentsliste 18/19


## - Laubgehölze -



Name	verschult	Größe	Notizen
<b>Prunus</b>	<u>Stämme: Stück u. Stärke anfragen</u>		
	• avium Plena	2xv.m.B.	8-10
	• serrulata Amanogawa	2xv.m.B.	10-12
	• serrulata Kanzan	3xv.DB.	12-14
	• ser. Kiku shidare sakura	3xv.DB.	14-16
	• subhirtella Accolade	3xv.DB.	16-18
	spinosa	2xv.	60-100
		2xv.	100-150
	triloba wurzelecht	Co 10L	40-60
		Co 10L	60-100
	Halbstamm	Co 13l	6-8
<b>Pyrus</b>	calleryana Chanticleer	2xv.m.B.	8-10
		3xv.DB.	10-12
		3xv.DB.	12-14
		3xv.DB.	14-16
		3xv.DB.	16-18
		3xv.DB.	18-20
		4xv.DB.	20-25
<b>Quercus</b>	robur	2xv.m.B.	150-200
		2xv.m.B.	200-250
		2xv.m.B.	250-300
<u>Stämme:</u>		2xv.m.B.	8-10
		3xv.DB.	10-12
		3xv.DB.	12-14
		3xv.DB.	14-16
		3xv.DB.	16-18
		3xv.DB.	18-20
	robur Fastigiata	3xv.DB.	200-250
		3xv.DB.	250-300
		4xv.DB.	300-350
		4xv.DB.	350-400
<b>Ribes</b>	alpinum Schmidt	2xv.	40-60
		2xv.	60-100
	sang. King Edward VII.	2xv.	60-100
		2xv.	100-150
		3xv.m.B.	125-150
		3xv.m.B.	150-175
		3xv.m.B.	175-200
<b>Robinia</b>	• pseudoacacia Friesia	3xv.m.B.	125-150
		3xv.m.B.	150-200
		3xv.m.B.	200-250
		3xv.m.B.	250-300
<b>Rosa</b>	• canina	2xv.	60-100
	• glauca	2xv.	100-150
	• pimpinellifolia		
	• rubiginosa		
	nitida	2xv.	30-40
		2xv.	40-60
	rugosa	2xv.	40-60
		2xv.	60-100
	rugosa Alba	2xv.	40-60
		2xv.	60-100
<b>Salix</b>	alba Tristis	3xv.DB.	10-12
			12-14
	• purpurea Nana	2xv.	40-60
	• rosmarinifolia	2xv.	60-100
<b>Sambucus</b>	nigra	2xv.	60-100
		2xv.	100-150
<b>Sorbus</b>	aucuparia Fastigiata	3xv.m.B.	80-100
		3xv.m.B.	100-125
		3xv.m.B.	125-150
		3xv.m.B.	150-200

# Sortimentsliste 18/19

## - Laubgehölze -



Name	verschult	Größe	Notizen
<b>Sorbus</b>	aucuparia	2xv.	150-200
		2xv.	200-250
		2xv.	250-300
		2xv.	8-10
		2xv.	10-12
	• aucuparia Edulis	2xv.	150-200
	• aria Magnifica	2xv.	200-250
	• vilmorinii	2xv.	250-300
	<u>Stämme:</u> nur aucuparia Edulis =	2xv.	8-10
		3xv.DB.	10-12
		3xv.DB.	12-14
<b>Spiraea</b>			
	billardii Triumphans	2xv.	60-100
		2xv.	100-150
		3xv.mB.	150-200
	cinerea Grefsheim	2xv.	40-60
		2xv.	60-100
		3xv.mB.	100-125
		3xv.mB.	100-125
	thunbergii	2xv.	30-40
		2xv.	40-60
		3xv.mB.	80-100
<b>Spiraea</b>			
	vanhouttei	2xv.	60-100
		2xv.	100-150
		3xv.mB.	100-125
<b>Stranvesia</b>			
	dauidiana	2xv.m.B.	40-60
		2xv.m.B.	60-80
		2xv.m.B.	80-100
		3xv.mB.	100-125
<b>Symphoricarpos</b>			
	• albus laevigatus	2xv.	60-100
	• Magic Berry	2xv.	100-150
		3xv.mB.	100-125
<b>Syringa</b>			
	• reflexa	2xv.	60-100
	• swegiflexa	2xv.	100-150
	• chinensis saugiana	3xv.mB.	125-150
	microphylla Superba	2xv.	40-60
		2xv.	60-100
		3xv.mB.	100-125
	vulgare Veredlungen:		
	• Charles Joly	2xv.	3Trb.
	• Ludwig Späth	2xv.	5Trb.
	• Michel Buchner	2xv.	8Trb.
	• Mme.Lemoine	3xv.mB.	100-125
	• Primose	3xv.mB.	125-150
		3xv.m.B.	150-175
		3xv.m.B.	175-200
<b>Tamarix</b>			
	• parviflora	2xv.	100-150
<b>Viburnum</b>			
	bod.Dawn	3xv.mB.	150-175
		4xv.mB.	175-200
		4xv.mB.	200-250
	• lantana	2xv.	60-100
	• opulus	2xv.	100-150
	opulus Roseum	2xv.3Trb	60-100
		2xv.5Trb	100-150
		3xv.mB.	125-150
	<u>Veredlungen:</u>		
	• x burkwoodii	2xv.m.B.	60-70
	• x carlcephalum	3xv.mB.	80-100
	• x carlesii	3xv.mB.	100-125
	• plicatum Mariesii	3xv.mB.	125-150
	• plicatum tomentosum		



# Sortimentsliste 18/19

## - Laubgehölze -



Name	verschult	Größe	Notizen
<b>Viburnum</b>	rhytidophyllum	3xv.mB.	80-100
		3xv.mB.	100-125
		3xv.mB.	125-150
<b>Weigela</b>			
	• Hybr.Boskoop Glory	2xv.	60-100
	• Hybr.Bristol Ruby	2xv.	100-150
	• Hybr.Eva Rathke	3xv.m.B.	150-200
	• Hybr.Red Prince		
	• florida Nana Variegata	2xv.	40-60
	• purpurea	2xv.	60-100
		3xv.m.B.	100-125

*Schicken Sie uns Ihre Anfrage, wir unterbreiten Ihnen unser Angebot.*