



Sortimentsliste '20-21

- Laubgehölze -



Name	verschult	Größe	Notizen
Acer			
campestre	2xv. oB. 2xv. oB.	100-125 125-150	
negundo	• Aureovarigatum • Flamingo • Varigatum	3xv mB 3xv mB	150-200 200-250
platanoides	2xv.oB. 2xv.oB. 3xv.DB. 3xv.DB.	8-10 10-12 12-14 14-16	
platanoides Globosum	3xv.DB. 3xv.DB. 3xv.DB. 4xv.DB. 5xv.DB.	10-12 12-14 14-16 20-25 30-35	
Aesculus			
hippocastanum	2xv.oB.	8-10	
Amelanchier			
laevis	3xv.m.B. 3xv.m.B.	80-100 100-125	
lamarckii	2xv. 2xv. Sol. 5-7 Sol. 5-7 Sol. 8-12	60-100 100-150 125-150 150-200 150-200	
Berberis			
thunbergii thunbergii Atropurpurea	2xv. 2xv.	40-60 60-100	
Buxus			
semperv. arborescens	Co 2xv. mB.	20-25 30-35	
◆ `Handsworthiensis	3xv.m.B. 4xv.m.B.	80-100 100-125	
Betula			
pendula	3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B.	250-300 300-350 12-14 14-16	
pendula Sorten: Tristis, Youngii , utilis	3xv.m.B. 3xv.m.B.	200-250 250-300	
pendula Youngii <i>Hochstamm 160-180-200cm</i>	3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B.	10-12 12-14 14-16 16-18	
Carpinus			
Betulus gesch.gestäbte Heckenware	2xv.m.B. 2xv.m.B. 2xv.m.B. 2xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B.	100-125 125-150 150-175 175-200 200-225 225-250 300-350	
Carpinus			
betulus Fastigiata	3xv.m.B. 3xv.m.B. 4xv.m.B. 4xv.m.B.	200-250 250-300 300-350 350-400	
Chaenomeles			
japonica	2xv.	60-100	
Cornus			
• alba Argenteomarginata • alba Sibirica • alba Spaethii • stolonifera Flaviramea	2xv. 2xv. 3xv.m.B. 3xv.m.B. 3xv.m.B.	60-100 100-150 125-150 150-200 200-250	
Cornus			
mas	2xv. 2xv. 2xv. 3xv.m.B. 3xv.m.B.	40-60 60-100 100-150 100-125 125-150	

Sortimentsliste '20-21

- Laubgehölze -



Name	verschult	Größe	Notizen	
Corylus	sanguinea	2xv.	60-100	
		2xv.	100-150	
Corylus	avellana	2xv.	60-100	
		2xv.	100-150	
		3xv.m.B.	125-150	
		3xv.m.B.	150-200	
Cotoneaster	avellana Contorta	3xv mB.	80-100	
		3xv mB.	100-125	
Cotoneaster	<ul style="list-style-type: none"> • salicifolius varg. floccosus • watereri Cornubia • watereri Pendulus 	2xv.mB.	100-125	
		3xv.mB.	125-150	
		3xv.mB.	150-175	
		4xv.mB.	300-400	
Crataegus	<ul style="list-style-type: none"> • x. lavallei Carrierei • laevigata Pauls Scarlet • monogyna Stricta • prunifolia Splendens 	2xv.	100-150	
		2xv.	8-10	
		2xv.	10-12	
		3xv.DB.	10-12	
		3xv.DB.	12-14	
		3xv.DB.	14-16	
Deutzia	monogyna	2xv.	60-100	
		2xv.	100-150	
		2xv.	150-200	
Deutzia	<ul style="list-style-type: none"> • Monte Rose • rosea 	2xv.	60-80	
		2xv.	80-100	
		3xv.mB.	125-150	
		3xv.mB.	150-200	
Euonymus	scabra Plena	2xv.	60-100	
		2xv.	100-150	
		3xv.mB.	150-200	
		3xv.mB.	200-250	
Euonymus	alatus	3xv.m.B.	80-100	
		3xv.m.B.	100-125	
Euonymus	europaeus	2xv.	60-100	
		2xv.	100-150	
Fagus	sylvatica	2xv.	125-150	
		2xv.	150-175	
		2xv.m.B.	100-125	
		2xv.m.B.	125-150	
		2xv.m.B.	150-175	
		3xv.m.B.	175-200	
		3xv.m.B.	200-225	
		3xv.m.B.	225-250	
		3xv.m.B.	250-300	
		sylvatica purpurea Sämlinge	2xv.m.B.	125-150
			2xv.m.B.	150-175
			3xv.m.B.	175-200
			3xv.m.B.	200-225
		sylvatica Purpurea Pendula Kopfvdl. Sweat Margret	3xv.m.B.	8-10
3xv.m.B.	10-12			
3xv.m.B.	12-14			
3xv.m.B.	14-16			
sylvatica Veredlungen:	<ul style="list-style-type: none"> • Asplinifolia, • Pendula • Sweat Margret 	3xv.m.B.	100-125	
		3xv.m.B.	125-150	
		3xv.m.B.	150-175	
		3xv.m.B.	175-200	
		4xv.m.B.	200-250	
		4xv.m.B.	250-300	
Forsythia	<ul style="list-style-type: none"> • x Goldzauber • x Lynwood 	2xv.	60-100	
		2xv.	100-150	
		3xv.m.B.	150-175	
		3xv.m.B.	175-200	
		3xv.m.B.	200-250	
Fraxinus	excelsior Nana u. Pendula Hochstamm	3xv.m.B.	12-14	
		3xv.m.B.	14-16	
		3xv.D.B.	16-18	
		3xv.D.B.	18-20	
Gingko				



Sortimentsliste '20-21

- Laubgehölze -



Name	verschult	Größe	Notizen
	biloba	4xv.m.B. 4xv.m.B. 4xv.m.B. 4xv.m.B.	12-14 14-16 16-18 18-20
Gleditsia	triacanthos Sunbrust	3xv.m.B. 3xv.m.B. 3xv.m.B.	250-300 8-10 10-12
Hibiscus	syriacus Hybriden in Sorten	3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B.	60-80 80-100 100-125 125-150 150-200
Hippophaea	rhamnoides	2xv. 2xv.	60-100 100-150
Kolkwitzia	amabilis	2xv. 2xv. 3xv.m.B. 3xv.m.B. 3xv.m.B.	40-60 60-100 100-125 125-150 150-200
Laburnum	waterer Vossii	3xv.m.B. 3xv.m.B. 3xv.m.B.	100-125 125-150 150-200
Ligustrum	vulgare Atrovirens	2xv.6Trb 2xv.6Trb 3xv.m.B. 3xv.m.B.	60-100 100-150 125-150 175-200
Liriodendron	tulpifera	3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B.	125-150 200-250 14-16 16-18
Liquidambar	styraciflua	3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B. 4xv.m.B. 4xv.m.B. 4xv.m.B.	125-150 150-175 175-200 200-250 250-300 12-14 14-16 16-18
Lonicera	xylosteum	2xv. 2xv.	60-100 100-150
Magnolia	soulangiana	4xv.m.B. 4xv.m.B.	150-175 175-200
	stellata	3xv.m.B. 3xv.m.B.	80-100 100-125
	Susan	3xv.m.B. 3xv.m.B. 3xv.m.B.	125-150 150-175 175-200
Mahonia	aquifolium	2xv. 2xv. 2xv.m.B. 2xv.m.B. 2xv.m.B.	30-40 40-60 30-40 40-60 60-80
Mahonia	aquifolium Apollo	2xv.m.B.	25-30
	bealei	2xv.m.B. 2xv.m.B.	40-60 60-80
Malus <u>Veredlg.</u>			
	• Charlottae	2xv.	60-100
	• Royalty	2xv.	100-150
<i>Ha+H Sorten nachfragen</i>	• Hilleri	3xv.m.B.	150-175
	• Liset	3xv.m.B.	175-200
	• Profusion	2xv.	h/H 6-8
Malus <u>Veredlg.</u>	• Evereste	3xvDB.	8-10
	• Wintergold	3xvDB.	10-12
	• van Eseltine	3xv DB.	12-14
	• Sargentii		
Notofagus	antarctica	3xv.m.B. 3xv.m.B.	100-125 125-150



Sortimentsliste '20-21

- Laubgehölze -



Name	verschult	Größe	Notizen
	3xv.m.B.	150-175	
	3xv.m.B.	175-200	
	4xv.DB.	200-250	
	4xv.DB.	250-300	
Philadelphus			
• coronarius	2xv.	60-100	
• Schneesturm	2xv.	100-150	
• Virginalis	3xv.m.B.	150-200	
•	3xv.m.B.	200-250	
• Dame Blanche	2xv.	40-60	
• Erectus	2xv.	60-100	
	3xv.m.B.	100-125	
	3xv.m.B.	125-150	
Platanus			
acerifolia	2xv	10-12	
		12-14	
	3xv.DB.	14-16	
	3xv.DB.	16-18	
Prunus			
cerasifera	2xv.	100-150	
	2xv.	150-200	
• Trailblazer (Hollywood)	3xv.DB.	150-200	
• Nigra	3xv.DB.	200-250	
	3xv.DB.	250-300	
	4xvDB	300-350	
	4xvDB	350-400	
	3xvDB.	8-10	
	3xvDB.	10-12	
	3xvDB.	12-14	
cistena	Co 10L	40-60	
	Co 10L	60-100	
	Halbstamm Co 13l	6-8	
laurocerasus Sorten:	2xv.m.B.	60-80	
• Herbergii	2xv.m.B.	80-100	
• Rotundifolia	3xv.m.B.	100-125	
• Schipka.Macrophylla			
• Zabeliana			
• Reinvanii			
laurocerases Otto Luyken	2xv.m.B.	20-30	
	2xv.m.B.	30-40	
	2xv.m.B.	40-50	
	2xv.m.B.	50-60	
• avium Plena	2xv.	60-100	
• serrulata Amanogawa	2xv.	100-150	
• serrulata Kanzan	3xv.DB.	125-150	
• subhirtella Accolade	3xv.DB.	150-200	
• subhirtella Autumnalis	3xv.DB.	200-250	
• subhirtella Elfenreigen	4xv.DB.	250-300	
	4xv.DB.	300-350	
Prunus			
	<u>Stämme: Stück u. Stärke anfragen</u>		
• avium Plena	2xv.m.B.	8-10	
• serrulata Amanogawa	2xv.m.B.	10-12	
• serrulata Kanzan	3xv.DB.	12-14	
• ser. Kiku shidare sakura	3xv.DB.	14-16	
• subhirtella Accolade	3xv.DB.	16-18	
spinosa	2xv.	60-100	
	2xv.	100-150	
triloba wurzelecht	Co 10L	40-60	
	Co 10L	60-100	
	Halbstamm Co 13l	6-8	
Pyrus			
calleryana Chanticleer	2xv.m.B.	8-10	
	3xv.DB.	10-12	
	3xv.DB.	12-14	
	3xv.DB.	14-16	
	3xv.DB.	16-18	
	3xv.DB.	18-20	
	4xv.DB.	20-25	

Sortimentsliste '20-21

- Laubgehölze -



Name	verschult	Größe	Notizen
Quercus			
robur	2xv.m.B. 2xv.m.B. 2xv.m.B.	150-200 200-250 250-300	
<u>Stämme:</u>	2xv.m.B. 3xv.DB. 3xv.DB. 3xv.DB. 3xv.DB. 3xv.DB.	8-10 10-12 12-14 14-16 16-18 18-20	
robur Fastigiata	3xv.DB. 3xv.DB. 4xv.DB. 4xv.DB.	200-250 250-300 300-350 350-400	
Ribes			
alpinum Schmidt	2xv. 2xv.	40-60 60-100	
sang.King Edward VII.	2xv. 2xv. 3xv.m.B. 3xv.m.B. 3xv.m.B.	60-100 100-150 125-150 150-175 175-200	
Robinia			
• pseudoacacia Friesia	3xv.m.B. 3xv.m.B. 3xv.m.B. 3xv.m.B.	125-150 150-200 200-250 250-300	
Rosa			
• canina	2xv.	60-100	
• glauca	2xv.	100-150	
• pimpinellifolia			
• rubiginosa			
nitida	2xv. 2xv.	30-40 40-60	
rugosa	2xv. 2xv.	40-60 60-100	
rugosa Alba	2xv. 2xv.	40-60 60-100	
Salix			
alba Tristis	3xv.DB.	10-12 12-14	
• purpurea Nana	2xv.	40-60	
• rosmarinifolia	2xv.	60-100	
Sambucus			
nigra	2xv. 2xv.	60-100 100-150	
Sorbus			
aucuparia Fastigiata	3xv.mB. 3xv.mB. 3xv.mB. 3xv.mB.	80-100 100-125 125-150 150-200	
Sorbus aucuparia	2xv. 2xv. 2xv. 2xv. 2xv.	150-200 200-250 250-300 8-10 10-12	
• aucuparia Edulis	2xv.	150-200	
• aria Magnifica	2xv.	200-250	
• vilmorinii	2xv.	250-300	
<u>Stämme:</u> nur aucuparia Edulis =	2xv. 3xv.DB. 3xv.DB.	8-10 10-12 12-14	
Spiraea			
billardii Triumphans	2xv. 2xv. 3xv.mB.	60-100 100-150 150-200	
cinerea Grefsheim	2xv. 2xv. 3xv.mB. 3xv.mB.	40-60 60-100 100-125 100-125	
thunbergii	2xv. 2xv. 3xv.mB.	30-40 40-60 80-100	
Spiraea			
vanhouttei	2xv. 2xv.	60-100 100-150	

Sortimentsliste '20-21

- Laubgehölze -



Name	verschult	Größe	Notizen
		3xv.mB.	100-125
Stranvesia			
davidiana	2xv.m.B.	40-60	
	2xv.m.B.	60-80	
	2xv.m.B.	80-100	
	3xv.m.B.	100-125	
Symphoricarpos			
• albus laevigatus	2xv.	60-100	
• Magic Berry	2xv.	100-150	
	3xv.mB.	100-125	
Syringa			
• reflexa	2xv.	60-100	
• swegiflexa	2xv.	100-150	
• chinensis saugiana	3xv.mB.	125-150	
microphylla Superba	2xv.	40-60	
	2xv.	60-100	
	3xv.mB.	100-125	
vulgare Veredlungen:			
• Charles Joly	2xv.	3Trb.	
• Ludwig Späth	2xv.	5Trb.	
• Michel Buchner	2xv.	8Trb.	
• Mme.Lemoine	3xv.mB.	100-125	
• Primose	3xv.mB.	125-150	
	3xv.m.B.	150-175	
	3xv.m.B.	175-200	
Tamarix			
• parviflora	2xv.	100-150	
Viburnum			
bod.Dawn	3xv.mB.	150-175	
	4xv.mB.	175-200	
	4xv.mB.	200-250	
• lantana	2xv.	60-100	
• opulus	2xv.	100-150	
opulus Roseum	2xv.3Trb	60-100	
	2xv.5Trb	100-150	
	3xv.mB.	125-150	
<u>Veredlungen:</u>			
• x burkwoodii	2xv.m.B.	60-70	
• x carlcephalum	3xv.mB.	80-100	
• x carlesii	3xv.mB.	100-125	
• plicatum Mariesii	3xv.mB.	125-150	
• plicatum tomentosum			
Viburnum rhytidophyllum	3xv.mB.	80-100	
	3xv.mB.	100-125	
	3xv.mB.	125-150	
Weigela			
• Hybr.Boskoop Glory	2xv.	60-100	
• Hybr.Bristol Ruby	2xv.	100-150	
• Hybr.Eva Rathke	3xv.m.B.	150-200	
• Hybr.Red Prince			
• florida Nana Variegata	2xv.	40-60	
• purpurea	2xv.	60-100	
	3xv.m.B.	100-125	

Schicken Sie uns Ihre Anfrage, wir unterbreiten Ihnen unser Angebot.