



Blüten- u. Wildgehölze '20/21

- Laubgehölze -



| Name | Deutsch | / | Latein | verschult | Größe | Notizen |
|-----------------------|---------|---|--------------------------------|--|--|-------------------------------|
| Ahorn | | | Acer | | | |
| | | | campestre | 2xv. oB. 2xv. oB. | 100-125 125-150 | |
| Felsenbirne | | | Amelanchier | | | |
| | | | laevis | 3xv.m.B. 3xv.m.B. | 80-100 100-125 | |
| | | | lamarckii | 2xv. 2xv. | 60-100 100-150 | |
| | | | | Sol. 5-7 Sol. 5-7 Sol. 8-12 | 3xv.m.B. 3xv.m.B. 3xv.m.B. | 125-150 150-200 150-200 |
| Berberitze | | | Berberis | | | |
| | | | thunbergii thunbergii | Atropurpurea 2xv. 2xv. | 40-60 60-100 | |
| Buchsbaum | | | Buxus | | | |
| | | | semperv. arborescens | Co | 20-25 | |
| | | | Handsworthiensis | 2xv. mB. | 30-35 | |
| | | | | 3xv.m.B. 4xv.m.B. | 80-100 100-125 | |
| Zierquitte | | | Chaenomeles | | | |
| | | | japonica | 2xv. | 60-100 | |
| Hartriegel | | | Cornus | | | |
| | | | • alba Argenteomarginata | 2xv. | 60-100 | |
| | | | • alba Sibirica | 2xv. | 100-150 | |
| | | | • alba Spaethii | 3xv.m.B. | 125-150 | |
| | | | • stolonifera Flaviramea | 3xv.m.B. 3xv.m.B. | 150-200 200-250 | |
| | | | mas | 2xv. 2xv. 2xv. 3xv.m.B. 3xv.m.B. | 40-60 60-100 100-150 100-125 125-150 | |
| | | | sanguinea | 2xv. 2xv. | 60-100 100-150 | |
| Haselnuß | | | Corylus | | | |
| | | | avellana | 2xv. 2xv. 3xv.m.B. 3xv.m.B. | 60-100 100-150 125-150 150-200 | |
| | | | avellana Contorta | 3xv mB. 3xv mB. | 80-100 100-125 | |
| Mispel | | | Cotoneaster | | | |
| | | | • salicifolius varg. floccosus | 2xv.mB. | 100-125 | |
| | | | • watereri Cornubia | 3xv.mB. | 125-150 | |
| | | | • watereri Pendulus | 3xv.mB. 4xv.mB. | 150-175 300-400 | |
| Weißdorn | | | Crataegus | | | |
| | | | monogyna | 2xv. 2xv. 3xv. mB. | 60-100 100-150 150-200 | |
| Blütendeutzie | | | Deutzia | | | |
| | | | • Monte Rose | 2xv. | 60-80 | |
| | | | • rosea | 2xv. 3xv.mB. 3xv.mB. | 80-100 125-150 150-200 | |
| | | | scabra Plena | 2xv. 2xv. 3xv.mB. 3xv.mB. | 60-100 100-150 150-200 200-250 | |
| Pfaffenhütchen | | | Euonymus | | | |
| | | | alatus, planipes | 3xv.m.B. 3xv.m.B. | 80-100 100-125 | |
| | | | europaeus | 2xv. 2xv. | 60-100 100-150 | |
| Forsythie | | | Forsythia | | | |
| | | | x Goldzauber | 2xv. 2xv. 3xv.m.B. 3xv.m.B. 3xv.m.B. | 60-100 100-150 150-175 175-200 200-250 | |
| Eibisch | | | Hibiscus | | | |
| | | | syriacus Hybriden in Sorten | 3xv.m.B. 3xv.m.B. 3xv.m.B. | 60-80 80-100 100-125 | |

Blüten- u. Wildgehölze '20/21

- Laubgehölze -



| Name | Deutsch | / | Latein | verschult | Größe | Notizen |
|---------------------------------------|---------|---|--|--|--|---------|
| | | | | 3xv.m.B. | 125-150 | |
| | | | | 3xv.m.B. | 150-200 | |
| Sanddorn | | | Hippophae rhamnoides | 2xv. 2xv. | 60-100 100-150 | |
| Sternstrauch | | | Kolkwitzia amabilis | 2xv. 2xv. 3xv.m.B. 3xv.m.B. 3xv.m.B. | 40-60 60-100 100-125 125-150 150-200 | |
| Heckenkirsche | | | Lonicera xylostemum | 2xv. 2xv. | 60-100 100-150 | |
| Magnolie | | | Magnolia soulangiana | 4xv.m.B. 4xv.m.B. | 150-175 175-200 | |
| | | | stellata | 3xv.m.B. 3xv.m.B. | 80-100 100-125 | |
| | | | Susan | 3xv.m.B. 3xv.m.B. 3xv.m.B. | 125-150 150-175 175-200 | |
| Mahonie | | | Mahonia aquifolium | 2xv. 2xv. 2xv.m.B. 2xv.m.B. 2xv.m.B. | 30-40 40-60 30-40 40-60 60-80 | |
| | | | aquifolium Apollo | 2xv.m.B. | 25-30 | |
| | | | bealei | 2xv.m.B. 2xv.m.B. | 40-60 60-80 | |
| Pfeifenstrauch-Falscher Jasmin | | | Philadelphus | | | |
| | | | • coronarius | 2xv. | 60-100 | |
| | | | • Schneesturm | 2xv. | 100-150 | |
| | | | • Virginalis | 3xv.m.B. | 150-200 | |
| | | | • | 3xv.m.B. | 200-250 | |
| | | | • Dame Blanche | 2xv. | 40-60 | |
| | | | • Erectus | 2xv. 3xv.m.B. 3xv.m.B. | 60-100 100-125 125-150 | |
| Schlehe | | | Prunus spinosa | 2xv. 2xv. | 60-100 100-150 | |
| Zierjohannisbeere | | | Ribes alpinum Schmidt | 2xv. 2xv. | 40-60 60-100 | |
| | | | sang.King Edward VII. | 2xv. 2xv. 3xv.m.B. 3xv.m.B. 3xv.m.B. | 60-100 100-150 125-150 150-175 175-200 | |
| Wildrosen | | | Rosa | | | |
| | | | • canina | 2xv. | 60-100 | |
| | | | • glauca | 2xv. | 100-150 | |
| | | | • pimpinellifolia | | | |
| | | | • rubiginosa | | | |
| | | | nitida | 2xv. 2xv. | 30-40 40-60 | |
| | | | rugosa | 2xv. 2xv. | 40-60 60-100 | |
| | | | rugosa Alba | 2xv. 2xv. | 40-60 60-100 | |
| Weide | | | Salix | | | |
| | | | • purpurea Nana | 2xv. | 40-60 | |
| | | | • rosmarinifolia | 2xv. | 60-100 | |
| | | | • | | | |
| Holunder | | | Sambucus nigra | 2xv. 2xv. | 60-100 100-150 | |
| Spieren | | | Spiraea billardii Triumphans | 2xv. 2xv. | 60-100 100-150 | |



Blüten- u. Wildgehölze '20/21

- Laubgehölze -



| Name | Deutsch | / | Latein | verschult | Größe | Notizen |
|----------------------------------|---------|---|--------------------------|-----------|---------|---------|
| | | | | 3xv.m.B. | 150-200 | |
| | | | | 3xv.m.B. | 200-250 | |
| | | | cinerea Grefsheim | 2xv. | 40-60 | |
| | | | | 2xv. | 60-100 | |
| | | | | 3xv.m.B. | 100-125 | |
| | | | | 3xv.m.B. | 125-150 | |
| | | | | 3xv.m.B. | 150-175 | |
| | | | thunbergii | 2xv. | 30-40 | |
| | | | | 2xv. | 40-60 | |
| | | | | 3xv.m.B. | 80-100 | |
| | | | vanhouttei | 2xv. | 60-100 | |
| | | | | 2xv. | 100-150 | |
| | | | | 3xv.m.B. | 125-150 | |
| | | | | 3xv.m.B. | 150-200 | |
| | | | | 3xv.m.B. | 200-250 | |
| Funkie | | | Stranvesia | | | |
| | | | dauidiana | 2xv.m.B. | 40-60 | |
| | | | | 2xv.m.B. | 60-80 | |
| | | | | 2xv.m.B. | 80-100 | |
| | | | | 3xv.m.B. | 100-125 | |
| Schneebeere | | | Symphoricarpos | | | |
| | | | • albus laevigatus | 2xv. | 60-100 | |
| | | | • Magic Berry | 2xv. | 100-150 | |
| | | | | 3xv.m.B. | 125-150 | |
| | | | | 3xv.m.B. | 150-200 | |
| Flieder | | | Syringa | | | |
| | | | • reflexa | 2xv. | 60-100 | |
| | | | • swegiflexa | 2xv. | 100-150 | |
| | | | • chinensis saugiana | 3xv.m.B. | 125-150 | |
| | | | microphylla Superba | 2xv. | 40-60 | |
| | | | | 2xv. | 60-100 | |
| | | | | 3xv.m.B. | 100-125 | |
| | | | vulgare Veredlungen: | | | |
| | | | • Charles Joly | 2xv. | 3Trb. | |
| | | | • Ludwig Späth | 2xv. | 5Trb. | |
| | | | • Michel Buchner | 2xv. | 8Trb. | |
| | | | • Mme.Lemoine | 3xv.m.B. | 100-125 | |
| | | | • Primose | 3xv.m.B. | 125-150 | |
| | | | | 3xv.m.B. | 150-175 | |
| | | | | 3xv.m.B. | 175-200 | |
| Tamariske | | | Tamarix | | | |
| | | | • parviflora | 2xv. | 100-150 | |
| Schneeball | | | Viburnum | | | |
| | | | bod.Dawn | 3xv.m.B. | 150-175 | |
| | | | | 4xv.m.B. | 175-200 | |
| | | | | 4xv.m.B. | 200-250 | |
| | | | • lantana | 2xv. | 60-100 | |
| | | | • opulus | 2xv. | 100-150 | |
| | | | opulus Roseum | 2xv.3Trb | 60-100 | |
| | | | | 2xv.5Trb | 100-150 | |
| | | | | 3xv.m.B. | 150-200 | |
| | | | | 3xv.m.B. | 200-250 | |
| | | | <u>Veredlungen:</u> | | | |
| | | | • x burkwoodii | 2xv.m.B. | 60-70 | |
| | | | • x carlcephalum | 3xv.m.B. | 80-100 | |
| | | | • x carlesii | 3xv.m.B. | 100-125 | |
| | | | • plicatum Mariesii | 3xv.m.B. | 125-150 | |
| | | | • plicatum tomentosum | | | |
| | | | rhytidophyllum | 3xv.m.B. | 80-100 | |
| | | | | 3xv.m.B. | 100-125 | |
| | | | | 3xv.m.B. | 125-150 | |
| Weigelie - Glockenstrauch | | | Weigela | | | |
| | | | • Hybr.Boskoop Glory | 2xv. | 60-100 | |
| | | | • Hybr.Bristol Ruby | 2xv. | 100-150 | |
| | | | • Hybr.Eva Rathke | 3xv.m.B. | 150-200 | |
| | | | • Hybr.Red Prince | 3xv.m.B. | 200-250 | |
| | | | • florida Nana Variegata | 2xv. | 40-60 | |
| | | | • purpurea | 2xv. | 60-100 | |
| | | | | 3xv.m.B. | 100-125 | |