

# Blüten- u. Wildgehölze '22/23

## - Laubgehölze -



Name	Deutsch	/	Latein	verschult	Größe	Notizen
<b>Ahorn</b>			<b>Acer</b>			
			campestre	2xv. oB. 2xv. oB.	100-125 125-150	
<b>Felsenbirne</b>			<b>Amelanchier</b>			
			laevis	3xv.m.B. 3xv.m.B.	80-100 100-125	
			lamarckii	2xv. 2xv.	60-100 100-150	
				Sol. 5-7 Sol. 5-7 Sol. 8-12	3xv.m.B. 3xv.m.B. 3xv.m.B.	125-150 150-200 150-200
<b>Berberitze</b>			<b>Berberis</b>			
			thunbergii thunbergii	Atropurpurea 2xv. 2xv.	40-60 60-100	
<b>Buchsbaum</b>			<b>Buxus</b>			
			semperv. arborescens	Co	20-25	
			Handsworthiensis	2xv. mB.	30-35	
				3xv.m.B. 4xv.m.B.	80-100 100-125	
<b>Zierquitte</b>			<b>Chaenomeles</b>			
			japonica	2xv.	60-100	
<b>Hartriegel</b>			<b>Cornus</b>			
			• alba Argenteomarginata	2xv.	60-100	
			• alba Sibirica	2xv.	100-150	
			• alba Spaethii	3xv.m.B.	125-150	
			• stolonifera Flaviramea	3xv.m.B. 3xv.m.B.	150-200 200-250	
			mas	2xv. 2xv. 2xv. 3xv.m.B. 3xv.m.B.	40-60 60-100 100-150 100-125 125-150	
			sanguinea	2xv. 2xv.	60-100 100-150	
<b>Haselnuß</b>			<b>Corylus</b>			
			avellana	2xv. 2xv. 3xv.m.B. 3xv.m.B.	60-100 100-150 125-150 150-200	
			avellana Contorta	3xv mB. 3xv mB.	80-100 100-125	
<b>Mispel</b>			<b>Cotoneaster</b>			
			• salicifolius varg. floccosus	2xv.mB.	100-125	
			• watereri Cornubia	3xv.mB.	125-150	
			• watereri Pendulus	3xv.mB. 4xv.mB.	150-175 300-400	
<b>Weißdorn</b>			<b>Crataegus</b>			
			monogyna	2xv. 2xv. 3xv. mB.	60-100 100-150 150-200	
<b>Blütendeutzie</b>			<b>Deutzia</b>			
			• Monte Rose	2xv.	60-80	
			• rosea	2xv. 3xv.mB. 3xv.mB.	80-100 125-150 150-200	
			scabra Plena	2xv. 2xv. 3xv.mB. 3xv.mB.	60-100 100-150 150-200 200-250	
<b>Pfaffenhütchen</b>			<b>Euonymus</b>			
			alatus, planipes	3xv.m.B. 3xv.m.B.	80-100 100-125	
			europaeus	2xv. 2xv.	60-100 100-150	
<b>Forsythie</b>			<b>Forsythia</b>			
			x Goldzauber	2xv. 2xv. 3xv.m.B. 3xv.m.B. 3xv.m.B.	60-100 100-150 150-175 175-200 200-250	
<b>Eibisch</b>			<b>Hibiscus</b>			
			syriacus Hybriden in Sorten	3xv.m.B. 3xv.m.B. 3xv.m.B.	60-80 80-100 100-125	



Name	Deutsch / Latein	verschult	Größe	Notizen
		3xv.m.B.	125-150	
		3xv.m.B.	150-200	
<b>Sanddorn</b>	<b>Hippophaea</b> rhamnoides	2xv. 2xv.	60-100 100-150	
<b>Sternstrauch</b>	<b>Kolkwitzia</b> amabilis	2xv. 2xv. 3xv.m.B. 3xv.m.B. 3xv.m.B.	40-60 60-100 100-125 125-150 150-200	
<b>Heckenkirsche</b>	<b>Lonicera</b> xylostereum	2xv. 2xv.	60-100 100-150	
<b>Magnolie</b>	<b>Magnolia</b> soulangiana	4xv.m.B. 4xv.m.B.	150-175 175-200	
	stellata	3xv.m.B. 3xv.m.B.	80-100 100-125	
	Susan	3xv.m.B. 3xv.m.B. 3xv.m.B.	125-150 150-175 175-200	
<b>Mahonie</b>	<b>Mahonia</b> aquifolium	2xv. 2xv. 2xv.m.B. 2xv.m.B. 2xv.m.B.	30-40 40-60 30-40 40-60 60-80	
	aquifolium Apollo	2xv.m.B.	25-30	
	bealei	2xv.m.B. 2xv.m.B.	40-60 60-80	
<b>Pfeifenstrauch-Falscher Jasmin</b>	<b>Philadelphus</b>			
	• coronarius	2xv.	60-100	
	• Schneesturm	2xv.	100-150	
	• Virginalis	3xv.m.B.	150-200	
	•	3xv.m.B.	200-250	
	• Dame Blanche	2xv.	40-60	
	• Erectus	2xv. 3xv.m.B. 3xv.m.B.	60-100 100-125 125-150	
<b>Schlehe</b>	<b>Prunus</b> spinosa	2xv. 2xv.	60-100 100-150	
<b>Zierjohannisbeere</b>	<b>Ribes</b> alpinum Schmidt	2xv. 2xv.	40-60 60-100	
	sang.King Edward VII.	2xv. 2xv. 3xv.m.B. 3xv.m.B. 3xv.m.B.	60-100 100-150 125-150 150-175 175-200	
<b>Wildrosen</b>	<b>Rosa</b>			
	• canina	2xv.	60-100	
	• glauca	2xv.	100-150	
	• pimpinellifolia			
	• rubiginosa			
	nitida	2xv. 2xv.	30-40 40-60	
	rugosa	2xv. 2xv.	40-60 60-100	
	rugosa Alba	2xv. 2xv.	40-60 60-100	
<b>Weide</b>	<b>Salix</b>			
	• purpurea Nana	2xv.	40-60	
	• rosmarinifolia	2xv.	60-100	
	•			
<b>Holunder</b>	<b>Sambucus</b> nigra	2xv. 2xv.	60-100 100-150	
<b>Spieren</b>	<b>Spiraea</b> billardii Triumphans	2xv. 2xv.	60-100 100-150	



# Blüten- u. Wildgehölze '22/23

## - Laubgehölze -



Name	Deutsch	/	Latein	verschult	Größe	Notizen
				3xv.m.B.	150-200	
				3xv.m.B.	200-250	
			cinerea Grefsheim	2xv.	40-60	
				2xv.	60-100	
				3xv.m.B.	100-125	
				3xv.m.B.	125-150	
				3xv.m.B.	150-175	
			thunbergii	2xv.	30-40	
				2xv.	40-60	
				3xv.m.B.	80-100	
			vanhouttei	2xv.	60-100	
				2xv.	100-150	
				3xv.m.B.	125-150	
				3xv.m.B.	150-200	
				3xv.m.B.	200-250	
<b>Funkie</b>			<b>Stranvesia</b>			
			dauidiana	2xv.m.B.	40-60	
				2xv.m.B.	60-80	
				2xv.m.B.	80-100	
				3xv.m.B.	100-125	
<b>Schneebeere</b>			<b>Symphoricarpos</b>			
			• albus laevigatus	2xv.	60-100	
			• Magic Berry	2xv.	100-150	
				3xv.m.B.	125-150	
				3xv.m.B.	150-200	
<b>Flieder</b>			<b>Syringa</b>			
			• reflexa	2xv.	60-100	
			• swegiflexa	2xv.	100-150	
			• chinensis saugiana	3xv.m.B.	125-150	
			microphylla Superba	2xv.	40-60	
				2xv.	60-100	
				3xv.m.B.	100-125	
			vulgare Veredlungen:			
			• Charles Joly	2xv.	3Trb.	
			• Ludwig Späth	2xv.	5Trb.	
			• Michel Buchner	2xv.	8Trb.	
			• Mme.Lemoine	3xv.m.B.	100-125	
			• Primose	3xv.m.B.	125-150	
				3xv.m.B.	150-175	
				3xv.m.B.	175-200	
<b>Tamariske</b>			<b>Tamarix</b>			
			• parviflora	2xv.	100-150	
<b>Schneeball</b>			<b>Viburnum</b>			
			bod.Dawn	3xv.m.B.	150-175	
				4xv.m.B.	175-200	
				4xv.m.B.	200-250	
			• lantana	2xv.	60-100	
			• opulus	2xv.	100-150	
			opulus Roseum	2xv.3Trb	60-100	
				2xv.5Trb	100-150	
				3xv.m.B.	150-200	
				3xv.m.B.	200-250	
			<u>Veredlungen:</u>			
			• x burkwoodii	2xv.m.B.	60-70	
			• x carlcephalum	3xv.m.B.	80-100	
			• x carlesii	3xv.m.B.	100-125	
			• plicatum Mariesii	3xv.m.B.	125-150	
			• plicatum tomentosum			
			rhytidophyllum	3xv.m.B.	80-100	
				3xv.m.B.	100-125	
				3xv.m.B.	125-150	
<b>Weigelie - Glockenstrauch</b>			<b>Weigela</b>			
			• Hybr.Boskoop Glory	2xv.	60-100	
			• Hybr.Bristol Ruby	2xv.	100-150	
			• Hybr.Eva Rathke	3xv.m.B.	150-200	
			• Hybr.Red Prince	3xv.m.B.	200-250	
			• florida Nana Variegata	2xv.	40-60	
			• purpurea	2xv.	60-100	
				3xv.m.B.	100-125	